



Universal Access Statement

**Richmond Road Residential Development,
Richmond Road, Dublin 3.**

UNIVERSAL ACCESS STATEMENT

Prepared for:
Birkey Ltd.

21 December 2021

Universal Access Statement for the
Richmond Road Residential Development,
Richmond Road, Dublin 3.

UNIVERSAL ACCESS STATEMENT
(Revision No.1)

Prepared for:
Birkey Ltd.

Prepared by:
Clodagh Dodd

O’Herlihy Access Consultancy
Guinness Enterprise Centre,
Taylors Lane, Dublin 8.

Tel: (01) 415 12 85

E: clodagh@accessconsultancy.ie

W: www.accessconsultancy.ie

21 December 2021

Ref No. 210013

1 Project Description

Birkey Limited intend to apply to An Bord Pleanála for permission for a strategic housing development at this c. 0.61 hectare (c. 6,067 sq m) site at No. 146A and Nos. 148-148A Richmond Road, Dublin 3 (Eircodes D03 W2H1, D03 T6P0, D03 Y8R9, D03 PX27, D03 K6F7, D03 E447 and D03 HR27). The site is bounded to the north-east by Richmond Road and the Leyden's Wholesalers & Distributor Site, to the north-west by an apartment development (Deakin Court), to the south-west by the Tolka River and to the south-east by a residential and commercial development (Distillery Lofts). Improvement works to Richmond Road are also proposed including carriageway widening and a new signal controlled pedestrian crossing facility on an area of c. 0.08 hectares (c. 762 sq m). The development site area and road works area will provide a total application site area of c. 0.69 hectares (c. 6,829 sq m).

The proposed development will principally consist of: the demolition of all existing structures on site (c. 2,346 sq m) including warehouses and 2 No. dwellings; and the construction of a part 6 No. to part 10 No. storey over basement development (with roof level telecommunications infrastructure over), comprising 1 No. café/retail unit (157 sq m) at ground floor level and 183 No. Build-to-Rent apartments (104 No. one bedroom units and 79 No. two bedroom units). The proposed development has a gross floor area of c. 16,366 sq m over a basement of c. 2,729 sq m. The proposed development has a gross floor space of c. 15,689 sq m.

The development also includes the construction of a new c. 126 No. metre long section of flood wall to the River Tolka along the site's southern boundary. The new flood wall is positioned at the top of the existing river bank and will connect to existing constructed sections of flood wall upstream and downstream of the site. The top of the wall will be set at the required flood defence level resulting in typical wall heights of c. 1.2 to 2 metres above existing ground levels. The development will also include the repair and maintenance of the existing river wall on site adjacent to the River Tolka.

The development also provides ancillary residential amenities and facilities; 71 No. car parking spaces including 8 No. electric vehicle spaces, 4 No. mobility impaired spaces and 1 No. car share space; 5 No. motorcycle parking spaces; bicycle parking; electric scooter storage; a drop off space; the decommissioning of the existing telecommunications mast at ground level and provision of new telecommunications infrastructure at roof level including shrouds, antennas and microwave link dishes; balconies facing all directions; public and communal open space; a pedestrian/bicycle connection along the north-western boundary of the site from Richmond Road to the proposed pedestrian/bicycle route to the south-west of the site adjoining the River Tolka; roof gardens; hard and soft landscaping; boundary treatments; green roofs; ESB Substation; switchroom; comms rooms; generator; lift overruns; stores; plant; and all associated works above and below ground.

2 Application of Part M of the Second Schedule of the Building Regulations for the Proposed Works

The proposed development scheme must meet the requirements of Part M of the Building Regulations. Part M 2010 came into operation on the 1st January 2012 and the requirements of Part M 2010 must be followed subject to certain transitional arrangements. The requirements of Part M 2010 are as follows:

Access and Use	M1	Adequate provision shall be made for people to access and use a building, its facilities and its environs.
Application of the Part	M2	Adequate provision shall be made for people to approach and access an extension to a building.
	M3	If sanitary facilities are provided in a building that is to be extended, adequate sanitary facilities shall be provided for people within the extension.
	M4	Part M does not apply to works in connection with extensions to and material alterations of existing dwellings, provided that such works do not create a new dwelling.

Figure 1 – The requirements of Part M (2010) of the Building Regulations

The Design Team recognises that since the introduction of the Disability Act in 2005, Irish Building Regulations (See Figure 1 above) have been revised with Universal Design in mind and a more comprehensive technical guidance document is now in place. This document is known as the Building Regulations 2010 Technical Guidance Document M – Access and Use, or alternatively TGD M 2010.

TGD M 2010 provides guidance in relation to meeting the requirements of Part M of the Second Schedule to the Building Regulations and focuses on Access and Use. It is important to note that the introduction of TGD M 2010 states:

“The materials, methods of construction, standards and other specifications (including technical specifications) which are referred to in this document are those which are likely to be suitable for the purposes of the Regulations. Where works are carried out in accordance with the guidance in this document, this will, prima facie, indicate compliance with Part M of the Second Schedule to the Building Regulations (as amended). However, the adoption of an approach other than that outlined in the guidance is not precluded provided that the relevant requirements of the Regulations are complied with. Those involved in the design and construction of a building may be required by the relevant building control authority to provide such evidence as is necessary to establish that the requirements of the Building Regulations are being complied with”.

O'Herlihy Access Consultancy have been liaising with the design team during the planning stages of this project and are satisfied that the proposed works will meet the requirements of Part M of the Second Schedule of the Building Regulations. For example:

- A minimum 5% of the total amount of car parking spaces provided will be accessible car parking spaces in line with TGD M 2010. These bays are designed to meet the guidance in Section 1.1.5 of TGD M 2010;
- Various accessible landscaped areas are provided throughout the site and are designed to meet the guidance in Section 1.1 of TGD M 2010;
- Adequate access routes are provided from all designated car parking and set down facilities to the main entrances and vertical circulation cores of the apartment block, designed in accordance with Section 1.1 of TGD M 2010, with 1,800mm by 1,800mm level landings provided at all accessible entrances;
- All entrances to the apartment block are designed in accordance with the guidance in Section 1.2 and Table 2 of TGD M 2010;
- Internal corridors, floor finishes and doors within communal areas are designed in accordance with Section 1.3 of TGD M 2010 with 1,800mm turning areas provided throughout each building's common area;
- At least 1 No. passenger lift and 1 No stairs suitable for ambulant disabled people is provided in a vertical circulation core of the apartment block serving all floors within the building. The lifts are designed in accordance with the guidance in Section 1.3.4.2 of TGD M 2010 and stairs in accordance with Section 1.3.4.3 of TGD M 2010;
- 4 No. Wheelchair accessible unisex WCs are provided on the ground floor of the apartment block, 3 No. in the residential amenity areas and 1 No. in the café/retail area, which will be fitted out in accordance with Section 1.4.5 of TGD M 2010;
- 1 No. Wheelchair accessible shower/changing room will be provided in the residential amenity area of the ground floor, which will be fitted out in accordance with Section 1.4.9 of TGD M 2010;
- All refreshment facilities provided, including the café/retail on the ground floor will be designed to be accessible in accordance with Section 1.5.5 of TGD M 2010, including low level counters and 1,800mm clear manoeuvring spaces;
- All communal facilities within or surrounding the apartment block are provisioned as accessible to meet the needs of all users in accordance with the guidance in TGD M 2010;
- Apartments are designed to meet the guidance in Section 3 of TGD M 2010 (e.g. 1200mm by 1200mm level landing at apartment entrances and 800mm wide doors at entrances to the apartments);
- An accessible WC, suitable for visitors, is provided at entry level within the apartment units. Each has been designed in accordance with Section 3.4 of TGD M 2010, providing adequate space for sideways transfer from a wheelchair.

The Design Team notes that TGD M 2010 is the minimum guidance to show compliance with the requirements of the Part M of the Building Regulations. The Design Team is also firmly committed to achieving universal access in the building and are committed to ensuring that:

Independently accessible means of approach to the accessible entrances and circulation around the proposed development will be provided in accordance with Section 1.1 of TGD M 2010. (e.g. level access routes, gently sloped access routes, ramped access routes, stepped access routes, pedestrian crossings, etc.)

Entrances to the proposed building will be independently accessible and avoid segregation based on a person's level of ability in accordance with Section 1.2 of TGD M 2010. (e.g. accessible entrance doors - glazed, manual, power-operated - entrance lobbies, etc.)

People will be able to travel horizontally and vertically, within the apartment block, conveniently and without discomfort in order to make use of all relevant facilities in accordance with Section 1.3 of TGD M 2010. (e.g., internal doors, corridors, internal lobbies, passenger lifts, stairs, etc.)

Independently accessible sanitary facilities, where provisioned, that meet the needs of people with a wide range of abilities, will be provided within the proposed works in accordance with Section 1.4 of TGD M 2010. (e.g. wheelchair accessible unisex WCs, accessible shower/changing rooms etc.)

Other facilities within the proposed communal areas will be accessible and useable, designed and constructed to facilitate active participation where appropriate in accordance with Section 1.5 of TGD M 2010. (e.g. refreshment facilities, switches, outlets and controls, etc.)

Adequate aids to communication will be provided within the common areas of apartment block to ensure people can independently access and use the building and their facilities in accordance with Section 1.6 of TGD M 2010. (e.g. signage, visual contrast, lighting, audible aids, etc.)

Apartments within the development will be designed in accordance with Section 3 of TGD M 2010, ensuring that they provide adequate access for visitors, including; accessible entrances with clear level landings, adequate circulation within the entrance storey, accessible WCs suitable for visitors, etc.

Figure 2 – Universal Access Strategy

3 References

1. DEHLG (2000) Building Regulation, 2000 Technical Guidance Document M. Access for people with disabilities. Department of Environment, Heritage and Local Government, Dublin.
2. DEHLG (2010) Building Regulation, 2010 Technical Guidance Document M. Access and Use. Department of Environment, Heritage and Local Government, Dublin.
3. Access – improving the accessibility of Historic Buildings and Places published by the Department of Arts, Heritage and Gaeltacht.
4. Architectural Heritage Protection - Guidelines for Planning Authorities (2004) – Chapter 18 – Improving Access;
5. BSI (2018), BS8300-1: Design of an accessible and inclusive built environment, Part 1: External environment – Code of practice.
6. BSI (2018), BS8300-2: Design of an accessible and inclusive built environment, Part 2: Buildings – Code of practice.
7. NDA (2002), Building for Everyone. The National Disability Authority, Dublin.